Neuroscience Letters, 125 (1991) 247–250
Elsevier Scientific Publishers Ireland Ltd.

AUTHOR INDEX

Abd-El-Basset, E.M. and Fedoroff, S., Immunolocalization of the α isoform of smooth muscle actin in mouse astroglia in cultures, 117
Abe, K., George-Hyslop, P.H.S., Tanzi, R.E. and Kogure, K., Induction of amyloid precursor protein mRNA after heat shock in cultured human lymphoblastoid cells, 169
Abe, K., Tanzi, R.E. and Kogure, K., Induction of HSP70 mRNA after transient ischemia in gerbil brain, 166
Abe, K., Tanzi, R.E. and Kogure, K., Selective induction of Kunitz-type protease inhibitor domain-containing amyloid precursor protein mRNA after persistent focal ischemia in rat cerebral cortex, 172
Akaike, N., see Nakagawa, T., 81
Alula, M., see Fournier, M., 34
Anandatheerthavarada, H.K. and Ravindranath, V., Administration of testosterone alleviates the constitutive sex difference in rat brain cytochrome P-450, 238
Araki, T., Kato, H., Hara, H. and Kogure, K., Postischemic alteration of [^{3}H]forskolin binding sites in selectively vulnerable areas: an autoradiographic study of gerbil brain, 159
Arvanov, V. and Usherwood, P.N.R., Effect of ouabain on volume and chemosensitivity of *Xenopus* oocytes injected with rat brain mRNA, 9
Arzt, E., see Labeur, M., 129

Banerjee, P.K., see Bhattacharya, S.K., 65
Belin, M.F., Fevre-Montange, M., Reboul, A., Didier-Bazes, M., Ehret, M., Maitre, M. and Tardy, M., Primary dissociated cell culture of embryonic rat metencephalon: presence of GABA in serotonergic neurons, 101
Benavides, J., Bourdiol, F., Dubois, A. and Scatton, B., Regional pattern of increased ω_3 (peripheral type benzodiazepine) binding site densities in the rat brain induced by systemic injection of kainic acid, 219
Benavides, J., see Dana, C., 45
Bhattacharya, S.K., Banerjee, P.K., Glover, V. and Sandler, M., Augmentation of rat brain endogenous monoamine oxidase inhibitory activity (tribulin) by electroconvulsive shock, 65
Binns, K.E., see Withington, D.J., 209
Blackburn, G.M., see Caulfield, M.P., 57
Bourdiol, F., see Benavides, J., 219
Bourdiol, P., see Raboisson, P., 179
Brown, D.A., see Caulfield, M.P., 57
Bunn, S.J., Localisation and pharmacological characterisation of [^{3}H]bremazocine binding in the bovine adrenal medulla, 139
Bures, J., see Miklyaeva, E.I., 89

Cano, J., see Steffen, V., 15
Castaño, A., see Steffen, V., 15
Caulfield, M.P., Robbins, J., Sim, J.A., Brown, D.A., Neil, S.M. and Blackburn, G.M., The naphthalenesulphonamide calmodulin antagonist W7 and its 5-iodo-1-C^8 analogue inhibit potassium and calcium currents in NG108-15 neuroblastoma x glioma cells in a manner possibly unrelated to their antagonism of calmodulin, 57
Chan-Palay, V., see Köhler, C., 12
Chen, M. and Yankner, B.A., An antibody to β amyloid and the amyloid precursor protein inhibits cell-substratum adhesion in many mammalian cell types, 223
Clark, F.M., Yeomans, D.C. and Proudfit, H.K., The noradrenergic innervation of the spinal cord: differences between two substrains of Sprague–Dawley rats determined using retrograde tracers combined with immunocytochemistry, 155
Claus, D., Weis, M. and Spitzer, A., Motor potentials evoked in tibialis anterior by single and paired cervical stimuli in man, 198
Clavelou, P., see Raboisson, P., 179
Colton, J.S., see Grossman, Y., 53

Dallel, R., see Raboisson, P., 179
Dana, C., Benavides, J., Schoemaker, H. and Scatton, B., Pharmacological characterisation and autoradiographic distribution of polyamine-sensitive [^{3}H]ifenprodil binding sites in the rat brain, 45
De Reyners, E.G., see Ferrer, I., 183
Dement, W.C., see Edgar, D.M., 125
Depaulis, A., see Liu, Z., 19
Didier-Bazes, M., see Belin, M.F., 101
Digón, E., see Ferrer, I., 183
Dragunow, M., see Jansen, K.L.R., 143
Dubois, A., see Benavides, J., 219
Durand, J., see Ouardouz, M., 5

Edgar, D.M., Seidel, W.F., Martin, C.E., Sayeski, P.P. and Dement, W.C., Triazolam fails to induce sleep in suprachiasmatic nucleus-lesioned rats, 125
Ehret, M., see Belin, M.F., 101
Ericson, H., see Köhler, C., 12

Faull, R.L.M., see Jansen, K.L.R., 143
Federlin, K., see Hellweg, R., 1
Fedoroff, S., see Abd-El-Basset, E.M., 117
Ferrer, I., Soriano, E., Martí, E., Digón, E., Reyners, H. and De Reyners, E.G., Development of dendritic spines in the cerebral cortex of the micrencephalic rat following prenatal X-irradiation, 183
Fevre-Montange, M., see Belin, M.F., 101
Finkielman, S., see Labeur, M., 129
Fourment, A., Maton, B. and Saïf, A.B., Cortical post-spike facilitations in elbow muscles during isometric contraction, 41
Fournier, M., Alula, M. and Sieck, G.C., Neuromuscular transmission failure during postnatal development, 34

Gallagher, J.P., see Zheng, F., 147
Ganten, U., see Gillardon, Frank, 77
Garyaev, A.P., see Piotrovsky, L.B., 227
Gauthier, P., see Lammari-Barreault, N., 121
George-Hyslop, P.H.S., see Abe, K., 169
Gillardon, Frank, Morano, I., Ganten, U. and Zimmermann, M., Regulation of calcitonin gene-related peptide mRNA expression in the hearts of spontaneously hypertensive rats by testosterone, 77
Gilman, S.C., see Grossman, Y., 53
Glover, V., see Bhattacharya, S.K., 65
Goodnow Jr., R.A.G., Nakanishi, K., Sudan, H.L. and Usherwood, P.N.R., Inactivation of a quisqualate-sensitive glutamate receptor by photosensitive analogues of philanthotoxin, 62
Gordillo, E., see Steffen, V., 15
Grossman, Y., Colton, J.S. and Gilman, S.C., Interaction of Ca-channel blockers and high pressure at the crustacean neuromuscular junction, 53

Halldin, C., see Köhler, C., 12
Han, V.K.M., see Seroogy, K.B., 241
Hara, H., see Araki, T., 159
Harris, H.W., see Lewis, D.A., 151
Hartung, H.-D., see Hellweg, R., 1

Heller, T., see Hiller, M.-S., 69
Hellweg, R., Wöhrle, M., Hartung, H.-D., Stracke, H., Hock, C. and Federlin, K., Diabetes mellitus-associated decrease in nerve growth factor levels is reversed by allogeneic pancreatic islet transplantation, 1
Hiller, M.-S., Prihoda, M. and Heller, T., The efferent innervation of the suboccipital muscles in the guinea pig: a study with retrograde transport of horseradish peroxidase, 69
Hirai, S., see Kanai, H., 163
Hochner, B., Parnas, H. and Parnas, I., Effects of intra-axonal injection of Ca^{2+} buffers on evoked release and on facilitation in the crayfish neuromuscular junction, 215
Hock, C., see Hellweg, R., 1
Hodge, K.A. and Persinger, M.A., Quantitative increases in temporal lobe symptoms in human males are proportional to postnatal geomagnetic activity: verification by canonical correlation, 205
Högberg, T., see Köhler, C., 12
Holmes, G.M. and Sachs, B.D., The ejaculatory reflex in copulating rats: normal bulbospongiosus activity without apparent urethral stimulation, 195
Hori, T., see Katafuchi, T., 37
Hösli, E. and Hösli, L., Autoradiographic localization of binding sites for second messengers on neurones and astrocytes of cultured rat cerebellum, 49
Hösli, L., see Hösli, E., 49
Hunt, S.P., see Morris, B.J., 201

III, O.C.S., see Liu, Z., 19
Ikarashi, Ya., see Itoh, K., 22
Ishii, A., Kobayashi, K., Kiuchi, K. and Nagatsu, T., Expression of two forms of human dopamine-β-hydroxylase in COS cells, 25
Ishizaki, Ya., Ma, L., Morita, I. and Murota, S., Astrocytes are responsive to endothelium-derived relaxing factor (EDRF), 29
Itoh, K., Ikarashi, Ya., Way, E.L. and Maruyama, Yu., Intrastriatal dialysis evidence for a direct inhibitory effect of benztropine on dopamine re-uptake, 22
Itoh, Y., Oishi, R. and Saeki, K., Feeding-induced increase in the extracellular concentration of histamine in rat hypothalamus as measured by in vivo microdialysis, 235

Jansen, K.L.R., Dragunow, M., Faull, R.L.M. and Leslie, R.A., Autoradiographic visualisation of [^{3}H]DTG binding to σ receptors, [^{3}H]TCP binding sites, and L-[^{3}H]glutamate binding to NMDA receptors in human cerebellum, 143
Jeftinija, K., see Jeftinija, S., 191
Jeftinija, S., Jeftinija, K., Liu, F., Skilling, S.R., Smullin, D.H. and Larson, A.A., Excitatory amino acids are released from rat primary afferent neurons in vitro, 191

Kakehata, S., see Nakagawa, T., 81
Kanai, H., Tanaka, M. and Hirai, S., α1-Antichymotrypsin has a trophic effect on hippocampal neurons in vitro, 163
Katafuchi, T., Hori, T. and Take, S., Central administration of interferon-α enhances rat sympathetic nerve activity to the spleen, 37
Kato, H., see Araki, T., 159
Keating, M.J., see Withington, D.J., 209
Kehl, Steven, J., Catechol blocks the fast outward potassium current in melanotrophs of the rat pituitary, 136
Kitamori, S., see Okumura, T., 31
Kiuchi, K., see Ishii, A., 25
Kobayashi, K., see Ishii, A., 25
Kogure, K., see Abe, K., 166
Kogure, K., see Abe, K., 169
Kogure, K., see Abe, K., 172
Kogure, K., see Araki, T., 159
Kogure, K., see Shiga, Yu., 110
Köhler, C., Ericson, H., Högberg, T., Halldin, C. and Chan-Palay, V., Dopamine D_2 receptors in the rat, monkey and the post-mortem human hippocampus. An autoradiographic study using the novel D_2-selective ligand ^{125}I-NCQ 298, 12
Komune, S., see Nakagawa, T., 81
Kubota, M. and Saito, N., NMDA receptors participate differentially in two different synaptic inputs in neurons of the zebra finch robust nucleus of the archistriatum in vitro, 107
Kuhlmann, D., see Mußhoff, U., 212

Labeur, M., Nahmod, V.E., Finkielman, S. and Arzt, E., Lesions of the medial septal nucleus produce a long-lasting inhibition of T lymphocyte proliferation, 129
Lammari-Barreault, N., Rega, P. and Gauthier, P., Axonal regeneration from central respiratory neurons of the adult rat into peripheral nerve autografts: effects of graft location within the medulla, 121
Larson, A.A., see Jeftinija, S., 191
Lee, D.C., see Seroogy, K.B., 241
Leslie, R.A., see Jansen, K.L.R., 143
Lewis, D.A. and Harris, H.W., Differential laminar distribution of tyrosine hydroxylase-immunoreactive axons in infant and adult monkey prefrontal cortex, 151
Liang, F., see Rouiller, E.M., 93
Liu, F., see Jeftinija, S., 191
Liu, Z., III, O.C.S., Vergnes, M., Depaulis, A. and Marescaux, C., Intrathalamic injections of γ-hydroxybutyric acid increase genetic absence seizures in rats, 19
Lu, Ya., see Yu, Z.-H., 175

Ma, L., see Ishizaki, Ya., 29
Machado, A., see Steffen, V., 15
Madeja, M., see Mußhoff, U., 212
Maitre, M., see Belin, M.F., 101
Marescaux, C., see Liu, Z., 19
Martí, E., see Ferrer, I., 183
Martin, C.E., see Edgar, D.M., 125
Maruyama, W., Minami, M., Ota, A., Takahashi, T., Takahashi, A., Nagatsu, T. and Naoi, M., Reduction of enzymatic activity of tyrosine hydroxylase by a heterocyclic amine, 3-amino-1,4-dimethyl-5*H*-pyrido(4,3-*b*)indole (Trp-P-1), was due to reduced affinity to a cofactor biopterin, 85
Maruyama, Yu., see Itoh, K., 22
Maton, B., see Fourment, A., 41
Michaelson, D.M., see Oron, L., 231
Miguel-Hidalgo, J.-J., see Takatsuji, K., 73
Miklyaeva, E.I. and Bures, J., Reversal of 'handedness' in rats is achieved more effectively by training under peripheral than under central blockade of the preferred forepaw, 89
Minami, M., see Maruyama, W., 85
Mizuno, N., Sumi, M.-U., Tashiro, T., Takahashi, O. and Satoda, T., Retinofugal projections in the house musk shrew, *Suncus murinus*, 133
Morano, I., see Gillardon, Frank, 77
Moret, V., see Rouiller, E.M., 93
Morita, I., see Ishizaki, Ya., 29
Morris, B.J. and Hunt, S.P., Proenkephalin mRNA levels in rat striatum are increased and decreased, respectively, by selective D_2 and D_1 dopamine receptor antagonists, 201
Murota, S., see Ishizaki, Ya., 29
Musílková, J. and Tuček, S., The binding of cholinesterase inhibitors tacrine (terahydroaminoacridine) and 7-methoxytacrine to muscari-

nic acetylcholine receptors in rat brain in the presence of eserine, 113
Mußhoff, U., Madeja, M., Kuhlmann, D. and Speckman, E. -J., Inward currents elicited by stream of fluid during transmitter-induced current oscillations in RNA-injected oocytes of *Xenopus laevis*, 212

Nagatsu, T., see Ishii, A., 25
Nagatsu, T., see Maruyama, W., 85
Nahmod, V.E., see Labeur, M., 129
Nakagawa, T., Kakehata, S., Akaike, N., Komune, S., Takasaka, T. and Uemura, T., Calcium channel in isolated outer hair cells of guinea pig cochlea, 81
Nakanishi, K., see Goodnow Jr., R.A.G., 62
Namiki, M., see Okumura, T., 31
Naoi, M., see Maruyama, W., 85
Neil, S.M., see Caulfield, M.P., 57

Oishi, R., see Itoh, Y., 235
Okamura, K., see Okumura, T., 31
Okumura, T., Uehara, A., Kitamori, S., Okamura, K., Takasugi, Yu. and Namiki, M., Prevention by interleukin-1 of intracisternally injected thyrotropin-releasing hormone (TRH)-induced gastric mucosal lesions in rats, 31
Onodera, H., see Shiga, Yu., 110
Oron, L., Sarne, Y. and Michaelson, D.M., Effect of opioid peptides on electrically evoked acetylcholine release from *Torpedo* electromotor neurons, 231
Ota, A., see Maruyama, W., 85
Ouardouz, M. and Durand, J., GYKI 52466 antagonizes glutamate responses but not NMDA and kainate responses in rat abducens motoneurones, 5

Pang, S.F., see Yu, Z.-H., 175
Parnas, H., see Hochner, B., 215
Parnas, I., see Hochner, B., 215
Persinger, M.A., see Hodge, K.A., 205
Piotrovsky, L.B., Garyaev, A.P. and Poznyakova, L.N., Dipeptides – analogues of *N*-acetylaspartylglutamate inhibit convulsive effects of excitatory amino acids in mice, 227
Poznyakova, L.N., see Piotrovsky, L.B., 227
Prihoda, M., see Hiller, M.-S., 69
Proudfit, H.K., see Clark, F.M., 155

Raboisson, P., Bourdiol, P., Dallel, R., Clavelou, P. and Woda, A., Responses of trigeminal subnucleus oralis nociceptive neurones to subcutaneous formalin in the rat, 179
Ravindranath, V., see Anandatheerthavarada, H.K., 238
Reboul, A., see Belin, M.F., 101
Rega, P., see Lammari-Barreault, N., 121
Reyners, H., see Ferrer, I., 183
Robbins, J., see Caulfield, M.P., 57
Rouiller, E.M., Liang, F., Moret, V. and Wiesendanger, M., Patterns of corticothalamic terminations following injection of *Phaseolus vulgaris* leucoagglutinin (PHA-L) in the sensorimotor cortex of the rat, 93

Sachs, B.D., see Holmes, G.M., 195
Saeki, K., see Itoh, Y., 235
Saïf, A.B., see Fourment, A., 41
Saito, N., see Kubota, M., 107
Sandler, M., see Bhattacharya, S.K., 65
Sarne, Y., see Oron, L., 231
Satoda, T., see Mizuno, N., 133
Sayeski, P.P., see Edgar, D.M., 125
Scatton, B., see Benavides, J., 219
Scatton, B., see Dana, C., 45
Schoemaker, H., see Dana, C., 45
Seidel, W.F., see Edgar, D.M., 125
Sendo, F., see Shiga, Yu., 110
Seroogy, K.B., Han, V.K.M. and Lee, D.C., Regional expression of transforming growth factor-α mRNA in the rat central nervous system, 241
Shiga, Yu., Onodera, H., Kogure, K., Yamasaki, Ya., Yashima, Yu., Syozuhara, H. and Sendo, F., Neutrophil as a mediator of ischemic edema formation in the brain, 110
Sieck, G.C., see Fournier, M., 34
Sim, J.A., see Caulfield, M.P., 57
Skilling, S.R., see Jeftinija, S., 191
Smullin, D.H., see Jeftinija, S., 191
Soriano, E., see Ferrer, I., 183
Speckman, E. -J., see Mußhoff, U., 212
Spitzer, A., see Claus, D., 198
Steffen, V., Gordillo, E., Castaño, A., Cano, J. and Machado, A., Age-dependent changes in the activity and isoenzymatic pattern of the phosphofructokinase in different areas of the central nervous systems, 15
Stracke, H., see Hellweg, R., 1
Sudan, H.L., see Goodnow Jr., R.A.G., 62
Sumi, M.-U., see Mizuno, N., 133
Syozuhara, H., see Shiga, Yu., 110

Takahashi, A., see Maruyama, W., 85
Takahashi, O., see Mizuno, N., 133
Takahashi, T., see Maruyama, W., 85
Takasaka, T., see Nakagawa, T., 81
Takasugi, Yu., see Okumura, T., 31
Takatsuji, K., Miguel-Hidalgo, J.-J. and Tohyama, M., Retinal fibers make synaptic contact with neuropeptide Y and enkephalin immunoreactive neurons in the intergeniculate leaflet of the rat, 73
Take, S., see Katafuchi, T., 37
Tanaka, M., see Kanai, H., 163
Tanzi, R.E., see Abe, K., 166
Tanzi, R.E., see Abe, K., 169
Tanzi, R.E., see Abe, K., 172
Tardy, M., see Belin, M.F., 101
Tashiro, T., see Mizuno, N., 133
Tohyama, M., see Takatsuji, K., 73
Tuček, S., see Musílková, J., 113

Uehara, A., see Okumura, T., 31
Uemura, T., see Nakagawa, T., 81
Usherwood, P.N.R., see Arvanov, V., 9
Usherwood, P.N.R., see Goodnow Jr., R.A.G., 62

Vaney, D.I., Many diverse types of retinal neurons show tracer coupling when injected with biocytin or Neurobiotin, 187
Vergnes, M., see Liu, Z., 19

Way, E.L., see Itoh, K., 22
Weis, M., see Claus, D., 198
Wiesendanger, M., see Rouiller, E.M., 93
Withington, D.J., Binns, K.E. and Keating, M.J., The normal emergence of the superior collicular map of auditory space in the guinea pig following developmental removal of visual cortex, 209
Woda, A., see Raboisson, P., 179
Wöhrle, M., see Hellweg, R., 1

Yamasaki, Ya., see Shiga, Yu., 110
Yankner, B.A., see Chen, M., 223

Yashima, Yu., see Shiga, Yu., 110
Yeomans, D.C., see Clark, F.M., 155
Yu, Z.-H., Yuan, H., Lu, Ya. and Pang, S.F., [^{125}I]Iodomelatonin binding sites in spleens of birds and mammals, 175
Yuan, H., see Yu, Z.-H., 175
Zheng, F. and Gallagher, J.P., *Trans*-ACPD (*trans*-D,L-1-amino-1,3-cyclopentanedicarboxylic acid) elicited oscillation of membrane potentials in rat dorsolateral septal nucleus neurons recorded intracellularly in vitro, 147
Zimmermann, M., see Gillardon, Frank, 77

CONTENTS *(continued from back cover)*

Development of dendritic spines in the cerebral cortex of the micrencephalic rat following prenatal X-irradiation
I. Ferrer, E. Soriano, E. Martí, E. Digón, H. Reyners and E.G. de Reyners (Spain, Belgium) 183
Many diverse types of retinal neurons show tracer coupling when injected with biocytin or Neurobiotin
D.I. Vaney (Australia) 187
Excitatory amino acids are released from rat primary afferent neurons in vitro
S. Jeftinija, K. Jeftinija, F. Liu, S.R. Skilling, D.H. Smullin and A.A. Larson (U.S.A.) 191
The ejaculatory reflex in copulating rats: normal bulbospongiosus activity without apparent urethral stimulation
G.M. Holmes and B.D. Sachs (U.S.A.) 195
Motor potentials evoked in tibialis anterior by single and paired cervical stimuli in man
D. Claus, M. Weis and A. Spitzer (F.R.G.) 198
Proenkephalin mRNA levels in rat striatum are increased and decreased, respectively, by selective D_2 and D_1 dopamine receptor antagonists
B.J. Morris and S.P. Hunt (U.K.) 201
Quantitative increases in temporal lobe symptoms in human males are proportional to postnatal geomagnetic activity: verification by canonical correlation
K.A. Hodge and M.A. Persinger (Canada) 205
The normal emergence of the superior collicular map of auditory space in the guinea pig following developmental removal of visual cortex
D.J. Withington, K.E. Binns and M.J. Keating (U.K.) 209
Inward currents elicited by stream of fluid during transmitter-induced current oscillations in RNA-injected oocytes of *Xenopus laevis*
U. Mußhoff, M. Madeja, D. Kuhlmann and E. -J. Speckman (F.R.G.) 212
Effects of intra-axonal injection of Ca^{2+} buffers on evoked release and on facilitation in the crayfish neuromuscular junction
B. Hochner, H. Parnas and I. Parnas (Israel) 215
Regional pattern of increased ω_3 (peripheral type benzodiazepine) binding site densities in the rat brain induced by systemic injection of kainic acid
J. Benavides, F. Bourdiol, A. Dubois and B. Scatton (France) 219
An antibody to β amyloid and the amyloid precursor protein inhibits cell-substratum adhesion in many mammalian cell types
M. Chen and B.A. Yankner (U.S.A.) 223
Dipeptides – analogues of *N*-acetylaspartylglutamate inhibit convulsive effects of excitatory amino acids in mice
L.B. Piotrovsky, A.P. Garyaev and L.N. Poznyakova (U.S.S.R.) 227
Effect of opioid peptides on electrically evoked acetylcholine release from *Torpedo* electromotor neurons
L. Oron, Y. Sarne and D.M. Michaelson (Israel) 231
Feeding-induced increase in the extracellular concentration of histamine in rat hypothalamus as measured by in vivo microdialysis
Y. Itoh, R. Oishi and K. Saeki (Japan) 235
Administration of testosterone alleviates the constitutive sex difference in rat brain cytochrome P-450
H.K. Anandatheerthavarada and V. Ravindranath (India) 238
Regional expression of transforming growth factor-α mRNA in the rat central nervous system
K.B. Seroogy, V.K.M. Han and D.C. Lee (U.S.A., Canada) 241

Author Index 247

ANNOUNCEMENT

The XVth International Symposium of the Fulton Society, *'The Search for the Genetic Basis of the Neurological Diseases'*, will be held in Seattle, WA, U.S.A. in September 1991, along with the 116th Annual Meeting of the American Neurological Association.

For further information please write to: Prof. Dr. Victor Soriano
Calle Buenos Aires 363
Montevideo, Uruguay